



Catalogue **CATERING**

Chapter

OVENS

Model

AG-101 LPG 230V 1N 50Hz

19010041

		<u>Article</u>		<u>Packed</u>
Lenght	898	mm	980	mm
Depth	987	mm	1055	mm
Height	1160	mm	1325	mm
Weight	168,000	kg	203,000	kg
Volume	0,991	m3	1,370	m3
ELECTRICITY				

Electric power

DIMENSIONS

1,20 kw Voltage 230V -1N 2X1,5+T - 10 A Single-phase 230V wiring

50

hz

PLUMBING-WATER

Frequency

Water consumption 30,00 l/hr Pressure Water Pres:200-400kPa(2-4bar)

GAS

Power 18,00 kw 15491,02 kcal/h LPG 1,50 Consumption ka/h LPG G30/G31 28-30/37 mbar Pressure

LEVEL SOUND 62,00 db **Certification EQNET-CE** 1312CN5757 GAS ADVANCE OVEN, AG-101

High quality, fast cooking:

- Professional quality
- Easy to use and efficient
- Perfect results
- Affordable

Capacity for 10 1/1-GN trays.

Stainless steel burner with electronic control system with sparking plug ignition.

Frequency modulation for the convection burner.

Push-button and "Scrolling" controls.

5 cooking methods: Steam, Low-temperature steam, Regeneration, Combination and Convection (up to 300°C).

Preheating option.

Overnight cooking or low-temperature programme.

3 Speeds - 2 power ranges.

Cold-Down chamber cooling system.

"Auto-reverse" system to reverse fan rotation.

Electronic temperature probe.

Steam generator equipped with limescale detector.

Steam generator automatically empties every 24 hours of cooking.

Semi-automatic limescale removal system.

Error detection system. "Repair service" mode system.

IPX-5 protection.

Retractable shower.

Electrical connection: 230 V - 1+N - 1.2 KW. Gas heating capacity: 15,480 Kcal/h. (18 kW).

Dimensions: 896 x 922 x 1,117 mm.

Optional elements:

- Structure for trays EB-101
- Structure for dishes EP-101
- Trolley for structure CP-101
- Supports SH-101


















Catalogue CATERING

Chapter

OVENS

Model

AG-101 LPG 230V 1N 50Hz

19010041

