



700 Series

Tilting bratt pans 700

GAS TILTING BRATT PAN, SBG7-10 I

DIMENSIONS

		Article	Packed
Length	mm	700,00	745,00
Depth	mm	775,00	925,00
Height	mm	850,00	1.070,00
Weigth	Kg	114,00	149,00
Volumen	m3	0,46	0,74

ELECTRICITY

<u>Electric power</u>	KW	0,05
230V - 1+N		2x2,5 - 4A
230V - III		
400V - III+N		

WATER

Not used

GAS

Power	KW	13,00
	Kcal/h	11.180,00
LPG	Consumption (kg/h)	1,09
	Pressure (g/cm2)	37,00
Natural Gas	Consumption (m3/h)	1,38
	Pressure (g/cm2)	18,00

STEAM

Not used

AIR

Not used

GAS TILTING BRATT PAN, SBG7-10 I

Made of stainless steel

Pan capacity: 50 litres (approx.).

Surface area: 42 dm2

Stainless steel pan, with heat diffuser bottom 10 mm. thick. Crank raising system.

Counterweighted folding lid.

Stainless steel tubular burner controlled by solenoid valve and thermostat temperature control (50 °C to 315 °C).

Water filling tap.

Power: 13 kW.

Electrical connection 230 V - 1+N.

Dimensions: 700 x 775 x 850 mm.

Certificate EQNET- CE

99AR308

Connections points	X	Y	Z	Diameter	Information
ELECTRICITY	500	600	150		Prever Interruptor diferencial
COLD WATER	350	600	105	3/4"	Prever llave de corte en la toma
GAS	662	494	105	R.3/4"G	Prever regulador y llave de corte individual

