


Model: CBM-311

Technical features

| Reference | Dimensions (mm) | GN 1/1 Capacity 100 / 150 mm depth | Description | Power (W) |
|-----------|------------------|------------------------------------|-------------|-----------|
| 19005581 | 1219 x 667 x 850 | 3 | 1 well | 2100 |



Packaging dimensions:

Depth: 770,000 MM

Width: 1.332,000 MM

Height: 900,000 MM

Gross weight: 50,000 KG

General features

Especially designed for transporting, maintaining and serving meals with the best temperature, hygiene and safety conditions.

One-well models, with capacity for two (2), three (3) or four (4) GN1/1 pans and Two-well or Three-well models with one (1) GN1/1 pan.

Bain-marie indirect water heating with hidden silicon resistors attached to the bottom of the well. Silicon resistors improve heating performance and reduce electrical consumption.

200 mm deep stamped seamless well, with rounded edges for easy cleaning. Wells are fully welded to the structure, thus creating a robust and compact unit.

Control panel with switch, thermostat and operating pilot light in a safe location, protected from receiving direct impacts.

In models with separate wells, the control panel includes a switch, a pilot and a thermostat per each well, to control the temperature separately.

Excellent isolation against thermal radiation.

Water drainage tap included on bottom of the well.

Lower flat shelf made of stainless steel.

Spiral cable with ground pin and support for the cable included.

Four (4) sound-proof castors of 125 mm diameter, two of them with brakes for an easy handling and safer use. Non-marking, special rubber bumpers to protect against direct impacts in all four (4) corners











Made of stainless steel.

Gastronorm pans not included. To be ordered separately.



Important note: Well must contain water when Bain-Marie is started.



Spare parts

| | Reference | SAP reference | Description | Recommended | Replaced | Price |
|---|------------|---------------|------------------------------------|-------------|----------|----------|
|  | 6043010027 | 12037755 | TEFLON WASHER D.26X33X1, 5 M | | | 0.00 EUR |
|  | 6033130037 | 12036894 | CAP DIAM: 25 | | | 0.00 EUR |
| | M409010039 | 12036411 | CBM CONTROL PANEL | | | 0.00 EUR |
|  | 6021130001 | 12037293 | SWITCH BIPOLAR AMB. ON/OFF | ✓ | | 0.00 EUR |
| | 6043010022 | 12035996 | STRAIGHT VALVE M-H 1/2 | ✓ | | 0.00 EUR |
|  | 6021390008 | 12033892 | HOSE.CURL 3X1,5mm1m | | | 0.00 EUR |
|  | 6021130003 | 12037853 | PILOT AMB.FUNCION | ✓ | | 0.00 EUR |
|  | 6043010012 | 12035556 | OVERFLOW DRAIN VALVE CROMAD | | | 0.00 EUR |
|  | 6021250059 | 12031687 | 700W 290X300 ELEMENT..SILICONE | ✓ | | 0.00 EUR |
|  | 6033130032 | 12032410 | WHEEL W / BRAKE D125 | ✓ | | 0.00 EUR |
|  | 6033130034 | 12034604 | WHEEL NO/ BRAKE D125 | | | 0.00 EUR |
|  | 6003010094 | 12037118 | HOT VEHICLES HANDLE SUPPORT (BLUE) | ✓ | | 0.00 EUR |

Spare parts

| Reference | SAP reference | Description | Recommended | Replaced | Price |
|---|------------------|-------------|-----------------------------|----------|----------|
|  | 6021350004 | 12034534 | THERMOSTAT.0-90 ° C NT127A0 | ✓ | 0.00 EUR |
|  | 6021310005 | 12036044 | (M421310001) | ✓ | 0.00 EUR |